

STU-1K

"STU-1K": Tension load cells for the suspended loads weighing



Tension/Compression load cells, suitable for weighing in tension suspended loads and as overload checking and limitation, or for compression use in the creation of weighing systems with various load cells.

CAPACITIES (kg): 2000, 5000, 8000, 10000.

OIML R60. C3 precision class.

Stainless steel. IP68 protection.

The best solution
for advanced industrial
applications

MAIN FEATURES

- C3 PRECISION CLASS
- STAINLESS STEEL CONSTRUCTION
- IP68 PROTECTION LEVEL
- MAX. CAPACITIES FROM 2000 TO 10000 kg
- 3m SHIELDED CONNECTION CABLE

TECHNICAL FEATURES

- nLC: 3000
- Y: 12000(compression, $Y=E_{max}/V_{min}$)
- Y: 9500(tension, $Y=E_{max}/V_{min}$)
- Cn: 2,4 mV/V
- Input: 1000 +/- 20 Ohm
- Output: 1000 +/- 5 Ohm
- Excitation: 1...10Vdc
- Safe Overload: 120%

DETAIL 1



Dimensions (mm)

Wiring Code	
<i>Colour</i>	<i>Function</i>
METAL	SHIELD
YELLOW	OUTPUT +
GREY	SENSE +
BROWN	INPUT +
WHITE	OUTPUT -
PINK	SENSE -
GREEN	INPUT -

VERSIONS

Available versions

Codice	Max (kg)
STU2000-1KD 	2000
STU5000-1KD 	5000
STU8000-1KD 	8000
STU10000-1KD 	10000



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE