



SOCIETA' COOPERATIVA
BILANCI
Weighing Instruments and Technology



RANGE

 **Galaxi**
WEIGH & LABEL

SYSTEMS FOR WEIGH PRICE
LABELLING AND CONTROL

**FLEXIBLE TAILOR-MADE
SOLUTIONS**




SYSTEMS FOR WEIGH PRICE LABELLING AND CONTROL



AUTOMATIC WEIGH PRICE LABELLERS BENEFITS

The weight price labeller is an automatic industrial system that allows to:

- **WEIGH WITH A VARIABLE WEIGHT, PRINT AND APPLY LABELS ON PRODUCTS**
- **CHECK THAT PRODUCTS RESPECT THE PRE-REQUISITES IN TERMS OF WEIGHT TOLERANCE, FOR USE WITH PRESET WEIGHT**
- **MANAGE BOTH PRESET WEIGHT AND VARIABLE-WEIGHT PRODUCTS ACCORDING TO THE SET WEIGHT RANGES**
- **MANAGE AND PRINT LABELS OF CARTONS AND PALLETS**



WHY COOP BILANCIAI?

We are the right partner for weighing, controlling and labelling in the food industry sector with over 70 years of experience.

One of the most trustworthy and reliable suppliers of solutions to address common weighing and labelling challenges together.



A PARTNER IN THE WORLD OF PACKAGING

SOLUTIONS AT YOUR SERVICE

Galaxi is the modern range of WEIGH PRICE LABELLING systems suitable for the food industry. The AISI304 stainless steel structure and the quick release system of conveyor belts, allows easy cleaning and maintenance operations.

The IP65 10" touchscreen, operator interface is **easily programmable**, and **flexible tools**.

The labeling unit's electro-assisted adjustment optimizes the label application process on the package with pinpoint accuracy.

STRENGTHS



IT PERFECTLY INTEGRATES WITH ALL PRODUCTION PROCESSES THANKS TO THE UNRIVALLED SYSTEMS COMPACT SIZE



SIMPLIFIED INTERCONNECTION WITH ALL REMOTE SERVICE MANAGEMENT SYSTEMS



MINIMUM DOWNTIME FOR MAXIMUM PRODUCTION EFFICIENCY, 100% DESIGNED AND MADE IN ITALY

FOR PACKAGES
from 20 g to 15 kg



of various SIZES

PRODUCTION RATE
up to 130 pcs/min



COMPATIBILITY WITH
ERP MANAGEMENT SYSTEMS



via MICROSOFT SQL
DATABASE



WIDE RANGE OF SOLUTIONS AT YOUR SERVICE

COOP BILANCI AI SYSTEMS since 1949
meet the different weighing and labelling needs
in several sectors, from craft workshops to large industries.

Label printing and application in compliance with the EU Regulation.
Depending on the machine model, the label application can be
in different positions of the package: the top, bottom, front, or side.



MAXIMUM FLEXIBILITY

PRESET WEIGHT

Lotto: Lot_AB2021 Lotto CTRL: 10042021004

Cod. Prodotto: Cheese_PL431 Descrizione: Formaggio pasticcato (tutto 100 g) Spessore: 25 mm

Soglia -	Soglia +	Peso Nominale	Soglia -	Soglia +
0.0812 kg	0.0898 kg	0.100 kg	0.1048 kg	0.1380 kg

Controllo Media	OK	Ri. Conlez.	SCARFATI	Peso Medio	Ri. Conlez.	ACCETTATI	Peso Medio
Zona 1	0	4	0.089 kg	0.304 kg			
Zona 2	25	17	0.086 kg	1.858 kg	19	0.094 kg	1.794 kg
Zona 3	100	0	0.000 kg		3008	0.100 kg	300.809 kg
Zona 4	100	0	0.000 kg		53	0.106 kg	5.639 kg
Zona 5	100	0	0.000 kg		3	0.110 kg	0.330 kg
Em. medio			0.007 kg			0.000 kg	
Totale		21	0.093 kg	1.962 kg	3081	0.100 kg	308.679 kg

Bar chart showing weight distribution across zones 1 to 5.



PDF REPORT
(automatically saved to PC / SERVER)

BATCH REPORT IN CSV or SQL FORMAT
(each row corresponds to a batch)

CTRL (CONTROL)

Software option allowing the weigh price labelling system to work in **checkweigher** mode to check preset weights satisfying the requirements of prepackaged producers (example: compliance with the directive of the Council of the European Communities 76/211/CEE) with generation of check report in PDF and CSV formats.



VARIABLE WEIGHT

Caratterizzato da / Packaged by: Mappalà snc / Distribuito per: S.p.A. - Via S. BENEDETTI (CAMPOLONGO) 46, 7 - 06060 BASSANO (PG) - Tel. 075 855551 - Fax 075 855551 - Web: www.mappala.com

PESCHE allo SCIROPPO / PEACHES HALVES in LIGHT SYRUP
PFIRSICHES leicht GEZUCKERT / PÉCHES au SIROP LEGER

INGREDIENTI: Pesca, acido ascorbico, Conservanti di acido ascorbico, Citrico. INGREDIENTS: Peaches, water, sugar, Ascorbic acid, Citric acid. ZUTATEN: Pfirsiche, Wasser, Zucker, Säuerungsmittel, Zitronensäure. INGRÉDIENTS: Pèches, eau, sucre, Conservateurs d'acide ascorbique.

DA CONSUMARSI ENTRO IL 31/12/2019

220g **PESO NETTO / NET WEIGHT 300g e**





COMPLIANCE WITH REGULATIONS IN AN EASY AND AUTONOMOUS WAY

For both preset weight and variable-weight products, **Galaxi** is the perfect answer to the need to provide product information to retailers and customers in compliance with Regulation (EU) no. 1169/2011 of the European Parliament and of the Council of 25 October 2011. The market requires, in addition to the usual weight/price, other essential elements such as barcodes, ingredients, nutritional values, traceability, etc.



Regulation (EU) no. 1169/2011 of the European Parliament and of the Council of 25 October 2011

- **POSSIBILITY OF AUTOMATIC TOTALIZATION ISSUING LABELS ON DEDICATED PRINTERS**
- **THE USER CAN CREATE INDEPENDENTLY THE LAYOUT OF THE LABELS**
- **APPLICATION OF LABELS TO THE PRODUCT: TOP, BOTTOM, SIDE POSITIONS, AND AS A SEAL**

PESCHE allo SCIROPPO / PEACHES HALVES in LIGHT SYRUP
PIRSICHE leicht GEZUCKERT / PÊCHES au SIROP LEGER

INGREDIENTS: Peach halves, sugar, Acidity regulator, Citric acid

ZUTATEN: Pflaumenhälften, Zucker, Säureisregulator, Zitronensäure

INGREDIENTS: Pommes, huile, sel, Conservateur d'arômes, acide citrique

WARTYCIWAŁY SKŁADNIKI		WARTYCIWAŁY SKŁADNIKI	
WARTYCIWAŁY SKŁADNIKI			
Wartość energetyczna	87	Kcal	
Skądinąd: Białko	1,41	%	
Wartość energetyczna	8,53	g	
Skądinąd: Białko	0,18	g	
Skądinąd: Białko	0,212	g	
Skądinąd: Białko	16,46	g	
Skądinąd: Białko	8,008	g	

DA CONSUMARSI ENTRO IL MESE SEPIBRE
CONSERVARE A 4°C
A CONSUMER DANS LA
31/12/2019

PESO BOLLICCHIANO / DRAMA NETTO
ABTROPFGEWICHT / POIDS NET EBOUTTE
220g

LOTTO / LOT
LOOK / LOT
0048

TARSA / TARE
TARA / TARA
4g

PESO NETTO / NET WEIGHT
NETTOGEWICHT / POIDS NET
300g

Possibility of using international characters

PLANET VIEW

Professional software for PC

- **ALLOWS EXACTLY DRAWING WHAT WILL BE PRINTED BY CONNECTING THE LAYOUT TO THE PLUs (Price Look Up)**
Easy graphic design of labels.
- **SIMPLIFIED MACHINE INTERFACE**
Customizable tables allow displaying only the parameters used.
- **MANAGEMENT OF SEVERAL MACHINES WITH ONE ARCHIVE**
Simplified management of PLU and Label archives with no limit to the number of connected machines.
- **EASY GENERATION OF COMPLEX LABELS**
Easy and user-friendly use of barcodes, extended texts, and images.
- **ZERO RISK OF DATA LOSS**
Thanks to the bidirectional management of backups between machine and PC, accidental operator errors are easily fixed.



VERSATILITY AT YOUR SERVICE

ANY TYPES OF BARCODE



GS1

COOP BILANCIAL is GS1's partner for RFID devices in weighing, labelling and control systems.



SOFTWARE



PLANET VIEW

PC Software to manage the weigh price labeller archives, creation of layouts, and the backup/reset function.

CONNECTA SQL

PC/SERVER software to interface weight price labellers through SQL database with corporate management software.

PRINT REPORT

PC software to receive and save the reports sent by the weigh price labellers.



EAN-13

Coding of all products for distribution.



EAN-128

Logistic code for packaging.



GS1

GS1 DataBar, new coding standard for products in the distribution.



GS1-128

New logistic coding standard for packaging.



SSCC

The International Standard for the logistics and coding of the pallets.



QR Code

DataMatrix Code

Two-dimensional barcodes. They redirect the user to additional information using a smartphone or mobile device.

RFID TECHNOLOGY

It is the automatic device identification technology that allows the unique, massive and remote detection of data, and information, acquired by generating the **IoT** interconnection loop between people, objects, services, and processes.

SOFTWARE FUNCTIONS ON BOARD THE MACHINE



It identifies preset weight pre-packed products.

CTRL

Management software of preset weight products, with the issue of batch reporting.

PACKING LIST

Management software for the automatic issue of a document showing the entire content of the box and pallet, useful for logistic purposes.

DATA DOWNLOADING

Management software to send data reports to PC/SERVER on CSV files. Configurable function according to the customer needs.

TRACEABILITY

Software that manages an additional archive on board the machine for the product traceability codes.


CUSTOMER ARCHIVE

Software for management of an additional archive on board the machine that generates a customer coding database to which address master data can be associated.

Galaxi HS



HIGH-PERFORMING, STURDY AND RELIABLE



STURDY STAINLESS STEEL STRUCTURE DESIGNED FOR HARSH ENVIRONMENTS, ergonomic, modular, easy to sanitize



DYNAMIC AND / OR STATIC WEIGHING SYSTEM, RECOMMENDED FOR HIGH-SPEED PACKING LINES AND IN CASES WHERE STOPPING FOR WEIGHING AND LABELLING IS NOT POSSIBLE

STRENGTHS



COMPLETE INTEGRATION WITH THE MANAGEMENT SYSTEM FOR AUTOMATION OF PRODUCTION DATA MANAGEMENT IN ORDER MODE



HIGH LEVEL OF RELIABILITY, ENSURING CONTINUOUS PRODUCTION WITH OUTSTANDING LABELLING ACCURACY



PERFECTLY INTEGRATES INTO HIGH-PRODUCTIVITY LINES

Galaxi LT



MODULAR AND FLEXIBLE



NETWORK PROTOCOL, OPEN AND PERFECTLY COMPATIBLE WITH ALL THE OTHER IN-LINE WEIGHING SOLUTIONS BY COOP BILANCIAI (VENUS, MERCURY PLUS, SELECTA)

STRENGTHS



RELIABILITY AND LOW MAINTENANCE COSTS



HIGH LEVEL OF FLEXIBILITY THAT ALLOWS ITS USE ON LINES WITH HIGHLY VARIABLE PACKAGE TYPE



HIGH LEVEL OF MODULARITY ENSURING A TAILOR-MADE SOLUTION


POSSIBLE HS CONFIGURATIONS



Galaxi HS

Package top labelling system.

Throughput up to 130 pcs/min.




Top label

Galaxi HS-BL

Package bottom labelling system.

Throughput up to 130 pcs/min.



Bottom label

KEY

OPTIONAL



Scale



Printer





Ejector



Galaxi HS-TB


Dual independently-activated labelling system.
 One on top, the other at the bottom of the package.
 This solution allows applying the label on the selected side and eventually splitting information into both sides.



Top and bottom label

Galaxi HS-TT

Dual independently-activated top labelling system.
 This solution guarantees a rapid brand dedicated labeling changeover, and reduces the line stops when the paper is out.



Double top label

KEY

OPTIONAL



Scale



Printer



Ejector



POSSIBLE LT CONFIGURATIONS



Galaxi LT


Top labelling system with static weight.

Throughput up to 70 pcs/min.




Top label


GALAXI LT 15



GALAXI LT 20



GALAXI LT 30



KEY

OPTIONAL



Scale



Printer



Ejector




Galaxi LT-BL

Bottom labelling system with a static weigh.

Throughput up to 70 pcs/min.

GALAXI LT 30 BL




Bottom label

Galaxi LT-TB

Top and bottom labelling system with a static weigh.

Throughput up to 70 pcs/min.

GALAXI LT 30 TB



Top and bottom label

KEY

OPTIONAL



Scale



Printer



Ejector





CONVEYOR SYSTEMS

Conveyor systems feature customised lengths depending on the various products and packaging.

- **BELTS COMPLIANT WITH FDA STANDARDS AVAILABLE**
- **SUITABLY SIZED MOTORISATIONS TO GUARANTEE PROLONGED USE**



FLAT BELTS
for regular shape products



V-SHAPED BELTS
for spherical and cylindrical products




OPEN FLAT BELTS
for thin packages



Conveyor belts easy to remove for convenient cleaning and maintenance

LABELLING SYSTEMS

**EASY INTERCHANGEABILITY
OF LABEL APPLICATION
SYSTEMS ACCORDING TO THE PRODUCT
(ARM, AIR JET)**





OPTIONALS

MOST COMMONLY REQUIRED OPTIONS

BARCODE READERS

They have dual use:

- quick data entry from barcode readers
- check the print quality of the label


TOTALISERS

End of processing printing systems for the automatic issue of the total labels for the boxes and the pallets.

THERMAL TRANSFER PRINTER KIT





CONFIGURABLE LIGHT COLUMN



GUIDES FOR PRODUCTS



FLAP / PUSHER / AIR-JET EJECTORS FOR NON-COMPLIANT PRODUCTS





DEVICES THAT CAN BE INTEGRATED IN-LINE

METAL DETECTOR

Quality check for human safety.

BENEFITS

- **DURABLE** - in Technology and Performance
- **FAST** - in Cleaning and Maintenance
- **FLEXIBLE** - in Size and Application



STRENGTHS

- **HIGH-QUALITY LOW-WEAR SYSTEM COMPONENT**
- **EASY MAINTENANCE, QUICK RELEASE CONVEYOR SYSTEM**
- **EASY HARDWARE AND STATISTICAL DATA INTEGRATION WITH EXTERNAL METAL DETECTOR MANUFACTURERS**
- **CONFIGURABLE AND MODULAR EJECTION SYSTEMS**
- **RESISTANCE TO AGGRESSIVE WASHING AND EASY TO SANITISE, IN COMPLIANCE WITH HACCP, BRC, AND IFS.**



SOCIETÀ COOPERATIVA
BILANCIAI
Strumenti e Tecnologie per Pesare

The company embraces the **values** and **principles** of cooperation: **freedom, security, equality, trust, equity, collaboration and solidarity.**

Foundation year

1949

Founding date

The numbers of the Coop Bilanciai

43,5

Turnover (M€)



239

Employees



22.000 m²

Plant dimension



THE COMPANY

THE SOLUTION FOR ADDING VALUE TO YOUR COMPANY

Società Cooperativa Bilanciai is specialized in the design, development, production, sale, and servicing of weighing and instrumentation systems.

The Company's aim, further than consolidating its leadership in static weighing components, is to create value for its customers and partners through specific, innovative, long-lasting, and reliable solutions in increasing its market share in dynamic weighing systems for automation.





Coop Bilanciali heads a skilled group of European and American subsidiaries. The long experience in the field and the high level of professionalism in each of them made, worldwide, Coop Bilanciali brand successfully well known.

Foundation year

1999

Founding date

The numbers of the Bilanciali Group

76

Turnover (M€)



455

Collaborators



63

Countries




OUR GROUP

CHOOSE COOP BILANCIALI

Bilanciali Group represents an international reality in the weighing market. Through its specialized companies in the different weighing fields, it is the ideal partner for all those who need high-quality instruments and services and reliability.



GROUP COMPANIES





Società Cooperativa Bilanciai Campogalliano
41011 Campogalliano (MO) Italy
Via S. Ferrari, 16 - Tel. +39 059 893611
Customer Service - Tel. +39 059 893612
www.coopbilanciai.it - info@coopbilanciai.it



In order to technologically improve its production, the company reserves the right to make changes and modifications to the products shown in the above pictures at any time and without prior notice.
09/2022 Edition